

GRANT & HACKH'S CHEMICAL DICTIONARY

[*American, International, European and British Usage*]

*Containing the Words Generally Used in Chemistry,
and Many of the Terms Used in the Related
Sciences of Physics, Medicine, Engineering,
Biology, Pharmacy, Astrophysics,
Agriculture, Mineralogy, etc.*

Based on Recent Scientific Literature

FIFTH EDITION

Completely Revised and Edited by

ROGER GRANT

M.A., D. de l'U., Ph.D., C. Chem., M.R.S.C. Consultant

CLAIRE GRANT

M.B., B.S., M.R.C.P.E. Medical Practitioner

McGRAW-HILL BOOK COMPANY

*New York St. Louis San Francisco Auckland Bogotá
Hamburg London Madrid Mexico
Milan Montreal New Delhi Panama
Paris São Paulo Singapore
Sydney Tokyo Toronto*

Best Available Copy

Library of Congress Cataloging-in-Publication Data

Hackh, Ingo W. D. (Ingo Waldemar Dagobert), 1890-1938.
Grant & Hackh's chemical dictionary.

Rev. ed. of: Chemical dictionary. 4th ed. 1969.
I. Chemistry—Dictionaries. I. Grant, Roger L.
II. Grant, Claire. III. Title. IV. Title: Grant &
Hackh's chemical dictionary. V. Title: Chemical
dictionary.

QD5.H3 1987 540'.3 86-7496
ISBN 0-07-024067-1

Copyright © 1987 by McGraw-Hill, Inc. All rights reserved.
Printed in the United States of America. Except as permitted
under the United States Copyright Act of 1976, no part of this
publication may be reproduced or distributed in any form or by
any means, or stored in a data base or retrieval system, without
the prior written permission of the publisher.

234567890 DOCD0C 943210

ISBN 0-07-024067-1

The previous edition of this book was *Hackh's Chemical Dictionary*,
4th ed., published by McGraw-Hill in 1969. It was prepared by Dr.
Julius Grant from a *Chemical Dictionary* compiled by Ingo W. D.
Hackh. The current, or 5th, edition of this book was prepared by Dr.
Roger L. Grant, whose father prepared the 4th edition.

*The editors for this book were Betty J. Sun and Susan Thomas,
the designer was Naomi Auerbach, and the production
supervisor was Teresa F. Leaden. It was set in Palatino
by University Graphics, Inc.*

Printed and bound by R. R. Donnelley & Sons Company.

Best Available Copy

norethisterone BP name for norethindrone.

norethynodrel $C_{19}H_{12}O_2 = 272.3$. 17-Ethynyl-17-hydroxy-5(10)-estren-3-one. Enovid. A steroid, similar to progesterone, used in oral contraceptives.

Norge saltpeter A Norwegian calcium nitrate fertilizer.

norgestrel $C_{21}H_{28}O_2 = 312.5$. DL-norgestrel. White powder, m.210, insoluble in water. A progesterone used in oral contraceptives (USP).

Norgine Algin. Trademark for an adhesive made by boiling seaweed with alkali and precipitating the filtered solution with acid.

noritic The division of the Triassic system containing the limestones and dolomites with some clays and sandstones.

Norit Trademark for purified charcoal made from birch; used to decolorize and deodorize syrup, oils, and pharmaceutical products.

norium A supposed rare-earth metal from zircon; actually a mixture of rare-earth metals.

norleucine $C_6H_{13}O_2N = 131.2$. Caprine, glycoleucine, α -amino-*n*-caproic acid, α -amino- α -butylacetic acid, 2-aminohexanoic acid*. An amino acid from the leucine fractions of proteins of the brain and of casein.

norm A theoretical standard. **n. system** In mineralogy, a system of classification of rocks based on their theoretical chemical compositions. Cf. *mode*.

normal (1) One plane or line perpendicular to another. (2) Describing a fixed standard or an established type, as a solution. (3) Prefix indicating: (a) a salt with all the available H atoms replaced; (b) an organic compound in its "normal" (as distinct from its "iso") form. (4)* Describing a material containing as a major constituent a specified element with an atomic weight value that is not significantly different from its accepted value. Differences can arise from the source, artificial alteration, mutation, or rare geological occurrence of the material. (5) Average or mean. **n. distribution** See *normal probability curve* below. **n. element** A cell, used as standard of electromotive force. See *cadmium cell*. **n. glass** A glass whose composition can be represented by a definite chemical formula; as, $6SiO_2 \cdot CaO \cdot Na_2O$. **n. hydrocarbon** An aliphatic hydrocarbon with a straight carbon chain in its molecule and no side chains; as, *n*-pentane. **n. material** See *normal* (4) above. **n. pressure** Standard pressure. See *s.t.p.* **n. probability curve** N. distribution. Gaussian, error, bell, or frequency curve. Bell-shaped curve showing the probability of a value differing from the mean under normal (i.e., unbiased) conditions. Values of 1, 2, and 3 standard deviations from the mean value encompass 68.3, 95.5, and 99.7% of the results of a large population, respectively. The median, mean, and mode are identical for a symmetrical distribution. See *histogram*, *leptokurtosis*. **n. saline** See *normal saline* under *saline*. **n. salt** A salt in which all the hydrogen atoms of the acid have been replaced by a metal, or all the hydroxide radicals of a base replaced by an acid radical; e.g., Na_2CO_3 (normal salt), $NaHCO_3$ (acid salt). **n. solution** A solution that contains one equivalent of the active reagent in grams, in one liter of the solution. The equivalent in grams is that quantity of the active reagent which contains, replaces, unites with, or in any way, directly or indirectly, brings into reaction 1 g of H.

1 N HCl = 36.5 g HCl/liter = 1 M HCl

1 N H_2SO_4 = 49 g H_2SO_4 /liter = 0.5 M H_2SO_4

Weaker or stronger solutions are indicated thus: 0.5 N, 2 N, etc., the prefix being the normality. Cf. *centinormal*, *millinormal*, *supernormal*. **n. state** Ground state.

n. temperature Room temperature: 20°C. Cf. *standard temperature* (0°C). **n. thermometer** A standardized thermometer.

normality See *normal solution* under *normal*.

normalization (1) The process of restoring normality. (2) The treatment of milk after pasteurization to disperse the fat homogeneously throughout it.

normalizing The treatment of metals (especially aluminum alloys) with a molten mixture of sodium and potassium nitrates at 500°C.

normenthane Isopropylcyclohexane.

normicotine $C_9H_{12}N_2 = 148.2$. 3-(2-Pyrrolidinyl)pyridine. (S)-. In Kentucky tobacco.

noropianic acid $C_8H_8O_5 = 182.1$. 5,6-Dihydroxy-1,2-phthalaldehydic acid. Colorless crystals, m.171, soluble in alcohol.

norpinane Trinorpinane*. **dimethylmethylene** \sim β -Pinene*.

norpinic acid $C_8H_{10}O_4 = 170.2$. 2,2-Dimethyl-1,3-cyclobutanedicarboxylic acid*. Cf. *truxillic acid*.

Norris, Flack James (1871-1940) American chemist, noted for organic research.

Norrish, Ronald George Wreyford (1897-1978) British chemist, Nobel prize winner (1967). Noted for work on reaction mechanisms.

norsolanelllic acid Biloidanic acid.

Northylen Trademark for a polythene synthetic fiber.

nortriptyline hydrochloride $C_{19}H_{21}N \cdot HCl = 299.8$.

Aventyl. Bitter, white crystals, soluble in water, m.218; an antidepressant in the tricyclic group (USP, BP).

nortropinone $C_7H_{11}ON = 125.2$. 8-Azabicyclo[3.2.1]octan-3-one. A ketone derived from tropine by oxidation. Colorless powder, m.70.

norvaline $C_5H_{11}O_2N = 117.1$. 2-Aminopentanoic acid*. A protein amino acid, m.291.

Norwegian saltpeter Norge saltpeter.

noscapine $C_{22}H_{23}O_7N = 413.4$. Narcotine, Tusscapine. An alkaloid from opium. Colorless needles, m.176, insoluble in water. A cough suppressant (USP, EP, BP). Cf. *cotarnine*.

nosean An aluminum sodium silicate containing gypsum.

noselite $Al_3Na_5SSi_3O_{16}$. A silica mineral, q.v., of the sodalite group.

nosepiece A revolving disk on a microscope, into which the objectives are screwed.

nosology The classification of disease.

nostrum A cure-all, or quack medicine.

notalin Citrinin.

notation A system of numerals and symbols which indicate the structural characteristic of an organic compound. See under individual symbols and *formula*, *nomenclature*.

International Chemical \sim , **Dysonian** \sim A tentative method for delineating the structures of organic compounds independently of national languages; published by IUPAC, 1958. It used a cipher or line of capital letters, numbers, stops, or symbols, each feature of the formulas being described as a distinct operation separated from the others by stops. Thus, unsaturation was denoted by *E*, with (e.g.) *E3* for a triple bond; methane was *C*. **Rosanoff** \sim A n. for representing sugars. The -CHO group is a circle, the main C chain a vertical line, each -OH group a horizontal line, and the 'tail' the -CH₂OH group. Thus, xylose:



Best Available Copy